

Association

DISCLAIMER: The Manganese Consortium believes that the information presented is technically and scientifically correct. However, MARA does not represent or warrant the accuracy of the information contained in this document or its suitability for any general or specific use. The material contained herein is by necessity general in nature; it should not be used or relied upon for any specific or general application without first obtaining competent advice. MARA, its members, staff and consultants specifically disclaim any and all liability or responsibility of any kind for loss, damage, or injury resulting from the use of the information contained in this publication.

SAFETY DATA SHEET: SLAGS, FERROMANGANESE-MANUFG

provided in accordance with Article 18(2) of Regulation (EC) No 1272/2008

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier:

Substance name: Ferromanganese slag

Other names: FeMn slag

EC No.: 273-728-1 CAS No.: 69012-28-8

REACH Registration number: [If applicable]

Unique formula identifier (UFI): Not applicable for this substance

1.2 Relevant identified uses of the Substance/Mixture and uses advised against

SU 19: Building and construction work, PCO

SU14: Manufacture of Basic Metals including alloys: Intermediate in the manufacture of FeSiMn alloys, PC7

Add or delete the above to suit your company's needs

No known uses advised against

- 1.3 Details of the supplier of the safety data sheet:(including address, phone numbers etc: Complete as required
- 1.4 Emergency Telephone: Complete as required (For EU include 112); CIAV # of receiving country

SECTION 2: HAZARD(S) IDENTITIFCATION

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No. 1272/2008 [EU CLP] and the UN GHS: Classified as Repro Cat 2: Suspected of damaging fertility or the unborn child – route of exposure – oral route

Revision date 06/2023 superseding date 01/2021

11 rue Dulong - 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



Association

2.2 Labelling elements:

Classification	Repr Cat 2
Pictogram	
Signal word	Warning
Hazard statement	H361d: Suspected of damaging fertility or the unborn child.
Precautionary statement Prevention	P201, P202, P280
Precautionary statement Response	P308+P313
	IF exposed or concerned: Get medical advice/attention.

2.3 Other Hazards:

The substance is an inorganic metallic solid. Based on available information, the substance does not meet the criteria for classification as persistent, bioaccumulative and toxic or very persistent and very bioaccumulative.

Endocrine disrupting properties have not been identified from existing acute or chronic data.

It is advisable to avoid generating dust as all fine particles have the potential to explode. Long term inhalation (years) of dust from some oxides of manganese cause adverse health effects see section 11 Include other hazards if known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance(s) [Amend as appropriate]

FeMn slag is an inorganic UVCB substance. Therefore, the concentration of its components is variable based on its source material and impurities can not be meaningfully identified.

Chemical	EC No.	CAS number	Concentration %	REACH Registration No.
name			w/w	Not applicable as
				substance is a UVCB
Magnesium	215-171-9	1309-48-4	Complete as per	-
Oxide			your product	
Aluminium	215-691-6	1344-28-1	Complete as per	-
oxide			your product	
Silicon	231-545-4	7631-86-9	Complete as per	-
dioxide			your substance	
Calcium	215-138-9	1305-78-8	Complete as per	-
oxide			your substance	

Revision date 06/2023 superseding date 01/2021

11 rue Dulong - 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



Barium Oxide	215-127-9	1304-28-5	Complete as per your substance	-
Manganese	231-105-1	7439-96-5	Complete as per your substance	-
Manganese oxide	215-695-8	7440-21-3	Complete as per your substance	-
Iron	231-096-4	7439-89-6	Complete as per your substance	-

3.2 Mixtures: The substance is not considered a mixture according to the EU CLP.

FIRST AID MEASURES SECTION 4:

- 4.1 Description of first aid measures:
 - 4.1.1 General Information

In the event of accidental exposure leading to unwellness, seek medical advice immediately.

- **4.1.2** Following Inhalation: Do not inhale. Wear an appropriate mask. Include other relevant information based on your company's procedures.
- 4.1.3 Following Skin Contact: Include information based on your company's procedures.
- 4.1.4 Following Eye Contact: Include information based on your company's procedures.
- 4.1.5 Following Ingestion: Include other relevant information based on your company's procedures.
- 4.1.6 Self-protection of the first aider: Include information based on your company's procedures.
- 4.2 Most important symptoms and effects, both acute and delayed: Dust particles may cause physical effects on eyes and lungs leading to itchiness and coughing: Breathing difficulties may occur immediately in the event of excessive dustiness due to lung overload.

Include any useful/relevant information.

4.3 Indication of any immediate medical attention and special treatment needed: Include information based on your company's procedures.

FIRE-FIGHTING MEASURES: SECTION 5:

- 5.1 Extinguishing media: Include information on appropriate extinguishing media and details any unsuitable extinguishing media based on your company's procedures.
- 5.2 Special hazards arising from the substance or mixture: The substance does not decompose naturally. However, upon combustion, it could produce fumes of metallic oxides and oxides of carbon. Include any other relevant information.
- **5.3** Advice for fire fighters: Include information based on your company's procedures.

Revision date 06/2023 superseding date 01/2021 11 rue Dulong - 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



SECTION 6: ACCIDENTAL RELEASE MEASURES:

Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel

- a) Use personal protective equipment, such as dust masks, goggles, to minimise inhalation. See section 8 for more details.
- b) Must have dust control and sufficient ventilation. Avoid all ignition sources.
- c) In the event of accidental release, evacuated and consult trained personnel: Amend as per your company's procedures
- **6.1.2** For emergency responders: Remove persons to safety. Isolate hazard area and deny entry. Ventilate closed spaces before entering. Use personal protective equipment - Specify which to use/which not to use, amend as per your company's procedures see section 8
- **6.2 Environmental precautions:** The substance is not considered an environmental hazard based on the available studies. However, it is advisable to keep away from drains/waterways as large quantities could clog drains. Recycling is possible and encouraged. Include other information based on your company's procedures

6.3 Methods and material for containment and cleaning up:

In the event of a spill, collect contaminated material and put in appropriate containers for disposal. Dispose of as special waste in compliance with local and national regulations

- **6.3.1** For containment: Collect in closed and suitable containers for disposal or reuse. Include other information based on your company's procedures.
- 6.3.2 For cleaning up: Clean contaminated objects and areas thoroughly observing environmental regulations: Amend as per your company's procedures - include cleaning and vacuuming techniques.
- 6.3.3 Other information: Include other information based on your company's procedures such as cleaning up techniques/materials never to be used.

6.4 Reference to other sections

For Personal protective equipment and appropriate disposal: see section 8 and 13

HANDLING AND STORAGE: Section 7:

7.1 Precautions for safe handling:

7.1.1 Recommendations:

- a) Use only in well ventilated areas. Avoid generating dust. Wear personal protective clothing (see Section 8). Include other information based on your company's procedures.
- b) Avoid handling with incompatible substances/mixtures (List incompatible substances if known)
- c) Avoid dust generating operations or could be carried out in properly ventilated area and wear appropriate PPE
- d) Capture dust, if possible, if generated, vacuum dust and compress into pellets to minimize environmental exposure and recycle if possible- Amend as per company procedure

7.1.2 Advice on general occupational hygiene:

- a) Do not eat, drink or smoke in work area.
- b) Wash hands before and after use and keep them dry.
- c) Remove contaminated clothing and PPE before entering eating areas.
- Include other information based on your company's procedures

Revision date 06/2023 superseding date 01/2021

11 rue Dulong - 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



Association

7.2 Conditions for safe storage, including any incompatibilities:

7.2.1 Specific storage requirements

- a) Risk associated with physical and -chemical properties.
- i) Explosive atmosphere: The substance is not explosive; however, stored away from potential explosive materials.
- **ii)** Corrosive conditions: The substance does not corrode metal hence; no adverse corrosive effects are expected.
- **iii)** Flammability hazard: The substance is not flammable, however, keep away from flammable materials
- iv) Incompatible substances or mixtures: None known (List if known)
- **v)** Evaporative conditions: The substance does not evaporate. Avoid storage around organic evaporative materials/substances.
- vi) Potential ignition sources: Keep away from ignition sources
- b) How to control effects from environmental conditions: (i) Weather conditions,
- (ii) ambient pressure, (iii) varying temperatures, (iv) sunlight, (v) humidity and
- (vi) vibration do not affect the integrity of the substance. However, storage environments should not be humid-Amend as per your company's procedure.
- c) How to maintain the integrity of the substance: (i) Stabilisers and (ii) antioxidants are not required. The substance is very stable under normal conditions of use. It does not decompose or disintegrate.
- **d)** Other advice:
- i) Ventilation requirements: Ensure adequate ventilation and store at room temperature.
- ii) Specific designs for storage: Keep/store only in original containers/packaging —Include other information based on company's procedure
- iii) Quantity limits under storage conditions: There is no limitation as the substance does not pose any physical and -chemical hazard.
- iv) Packaging compatibility: Store in original/similar packaging. Protect container/packaging against damage-Amend as per company's procedure.

7.3 Specific end use(s):

Recommendations: Observe instructions for use and see exposure scenarios – Annex 1

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION:

8.1 Control Parameters:

- **8.1.1 Occupational** exposure limits: The EU SCOEL OEL values for Manganese and its inorganic compounds of 0.2mg/m3 inhalable and 0.05mg/m3 respirable
 - **8.1.1.1** National limits Include other relevant country specific workplace limits.
 - **8.1.1.2** Union limits: 0.2mg/m3 inhalable and 0.05mg/m3 respirable
 - 8.1.1.3 Any other national limit values: Include if available.
 - **8.1.1.4** Union biological limit values: No union biological limits values exist for inorganic manganese.
 - **8.1.1.5** Any other national biological values: Include if available.
- **8.1.2** Monitoring procedures: Dust monitoring is recommended, provide methodology as per national laws/company procedures.
- **8.1.3** Formation of air contaminants: The substance does not produce air contaminants under normal conditions of use. OEL/BLV are not **provided.**
- 8.1.4 Derived no effects limits (DNELs) Predicted no effects concentrations (PNECs)

Revision date 06/2023 superseding date 01/2021 11 rue Dulong – 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



Association

Hazard conclusions for workers: Derived No Effect Levels (DNEL's)

Route	Type of effect	Hazard conclusion	Most sensitive endpoint
Inhalation	Systemic effects - Long-term	DNEL (Derived No Effect Level) 0.27mg/m ³	developmental toxicity / teratogenicity (Oral)
Inhalation	Systemic effects - Acute	no hazard identified.	
Inhalation	Local effects - Long-term	no hazard identified.	
Inhalation	Local effects - Acute	no hazard identified.	
Dermal	Systemic effects - Long-term	DNEL (Derived No Effect Level) 0.08mg/kg bw/day	developmental toxicity / teratogenicity (Oral)
Dermal	Systemic effects - Acute	no hazard identified.	
Dermal	Local effects - Long-term	no hazard identified.	
Dermal	Local effects - Acute	no hazard identified.	
Eyes	Local effects	no hazard identified.	

Hazard assessment conclusion for the environmental: Predicted No Effect Concentration (PNEC)

Compartment	Hazard conclusion	Remarks/Justification
Freshwater	(freshwater):	Assessment factor: 50 Extrapolation method: assessment factor PNEC aqua (freshwater)
	releases:	Two chronic NOEC values in algae and Daphnia . NOEC = 3.2 mg/L

Revision date 06/2023 superseding date 01/2021

11 rue Dulong - 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92

E-mail : <u>reach@manganese.org</u> - Web site : <u>www.reach-manganese.org</u>



		PNEC intermittent release hazard assessment conclusion: PNEC aqua (intermittent releases) PNEC intermittent release assessment factor: 100.0 PNEC intermittent release extrapolation method: assessment factor PNEC intermittent release justification: Lowest L(E)C50 value from fish, daphnia and algal studies. EyC50 = 32 mg/L
Marine water	· •	Assessment factor: 500 Extrapolation method: assessment factor PNEC aqua (marine water) Two chronic NOEC values in algae and Daphnia, with further 10 x factor for freshwater to marine. NOEC = 3.2 mg/L
Sediments (freshwater)	PNEC sediment (freshwater): 6.38mg/kg sediment dw	Assessment factor: 500 Extrapolation method: assessment factor PNEC sediment (freshwater) Equilibrium partitioning based on freshwater aquatic PNEC and Kd value of 994 mL/g and application of an additional safety factor for ingestion of material bound to sediment.
Sediments (marine water)		Assessment factor: 5000 Extrapolation method: assessment factor PNEC sediment (marine water) Equilibrium partitioning based on marine aquatic PNEC and Kd value of 994 mL/g and application of an additional safety factor for ingestion of material bound to sediment.

Revision date 06/2023 superseding date 01/2021

11 rue Dulong – 75017 Paris - France
Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92
E-mail: reach@manganese.org - Web site: www.reach-manganese.org



Association

Sewage treatment plant	PNEC STP: 100mg/L	Assessment factor: 10 Extrapolation method: assessment factor PNEC STP Activated sludge Respiration/inhibition test. NOEC = 1000mg/L
Soil		Assessment factor: 50 Extrapolation method: assessment factor PNEC soil Equilibrium partitioning based on aquatic PNEC and Kd value of 994 mL/g and application of an additional safety factor for ingestion of material bound to sediment.
Air	no hazard identified:	
Secondary poisoning	no potential for bioaccumulation:	No bioaccumulation is expected due to the inorganic nature of the substance.

- **8.1.5** Control banding: A control banding approach is not used to decrease risk management measure during the use of this substance for the uses specified in section 1.2
- **8.2 Exposure controls:** See Exposure scenarios on, Annex 1
 - **8.2.1** Appropriate engineering controls: Dust is trapped; water is collected for treatment and recycled. Complete as per your company procedures
 - **8.2.2** Individual protective measures: Overalls, goggles and masks are mandatory during use.
 - **8.2.2.1** Other non-personal protection: Good industrial hygiene is a must. Keep and use in well ventilated areas. See section 5 for more information Amend as per your company's procedures.
 - **8.2.2.2** CEN stand requirement for protective equipment: (Please state the quality/standard/thickness of the personal protective equipment used by your organisation)
 - a) Eye/face protection: complete as per your company procedures e.g.
 Specific type of goggles

11 rue Dulong – 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



Association

- **b)** Skin protection: Overalls, gloves and boots are not mandatory as the substance is not a skin irritant, however, they are encouraged for good industrial hygiene.
- c) Respiratory protection: N95 Mask Amend as per your company procedures.
- d) Thermal hazards: Not applicable

8.2.3 Environmental exposure controls: The substance is not harmful to the environment. Avoid dust generation. See Annex I, Exposure scenarios (Please include environmental controls employed by your company)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES: [the information below is based on available literature and studies]

9.1 General information	
State	Solid
Appearance	Grey, green solid lumps
Odour	Odourless
Melting point (Mpt) / Freezing point	>723 K (>450°C), Regulation (EC) No. 440/2008, Annex, A1
Boiling point/boiling range	Melting pt >300°C, hence study not applicable
Flammability of solids	Not flammable, Regulation (EC) No. 440/2008, Method A10
Lower and upper explosion limits	Not applicable to solids
Flash Point	Not required for inorganic substances
Auto-ignition temperature	Not applicable to solids
Decomposition temperature	Not applicable to inorganic solids
рН	Include if known (where the substance is a solid, the pH of an aqueous solution at a given concentration shall be indicated)
Kinematic viscosity	Not applicable to solids
Water Solubility	Poorly soluble (1.2 x 10-4 g/L): Regulation (EC) No. 440/2008, Annex A6
Partition Coefficient/ n_octanol/water	Not applicable for inorganic substances
Vapour pressure	Study not conducted as Mpt >300°C
Density/Relative density	3.43 at 23°C, Regulation (EC) No. 440/2008, Annex, A3
Particle characteristics	The proportion of test material having an inhalable particle size less than 100 μm was below 3.3 % w/w, OECD 110
9.2 Other information	None
9.2.1 Physical hazard classes	
Explosive properties	Predicted to be non-explosive
Flammable gases	Not applicable as the substance is a solid
Aerosols	Not applicable under normal conditions of use

Revision date 06/2023 superseding date 01/2021

11 rue Dulong - 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



Association 1

Oxidizing gases	Not applicable as the substance is a solid
Gases under pressure	Not applicable as the substance is a solid
Flammability of liquids/Solids	Not flammable
Self-reactive substances and mixtures	Not self-reactive
Pyrophoric liquids	Not applicable as the substance is a solid
Pyrophoric solids	Does not have pyrophoric properties
Self-heating substances and mixtures	Spontaneous ignition does not occur
Substances and mixtures which emit flammable	Predicted not to emit flammable gases upon
gases in contact with water	contact with water
Oxidising Liquids/solids	Non oxidising, Method A17
Organic peroxides	Not applicable to inorganic substances
Corrosive to metals	The substance is not corrosive to metals
Desensitised explosives	Not applicable
9.2.2 Other information	No additional information relevant to the safe
	use of the substance

SECTION 10: STABILITY AND REACTIVITY: [Amend information below to conform to your company information]

- **10.1 Reactivity:** No specific test data related to reactivity is available for this substance.
 - 10.1.1 Reactivity Hazard of substance: Not applicable for inorganic substances
 - 10.1.2 **Reactivity hazard of mixture:** Not applicable as the substance is not a mixture.
- **10.2 Chemical stability:** The substance is chemically stable under recommended conditions of storage, use and temperature.
- **10.3 Possibility of Hazardous reaction:** No hazardous reaction when handled and stored according to provisions.
- 10.4 Conditions to avoid: Include your company's information.
- 10.5 Incompatible Materials: Include your company's information.
- **10.6 Hazardous decomposition products:** Does not decompose when used for intended uses. **Include your company's information.**

SECTION 11: TOXICOLOGICAL INFORMATION: [The information in this section is from experimental data and other available literature]

11.1 Information on toxicological effects:

a) Acute toxicity:

Acute oral toxicity: No adverse effect observed (LD50 >2000 mg/kg bw)
Acute dermal toxicity: No adverse effects observed (LD50 > 2000mg/kg bw)
Acute inhalation toxicity: No adverse effects observed (LD50 > 5000 mg/m3)

b) Skin corrosion/irritation:

Not irritating in rabbits (one study according to OECD guideline 404 and EU method B.4, GLP), applied to the intact skin for 24 hours and 72 hours post dosing. Primary dermal irritation index for all animals = 0. No effects were noted during the study.

11 rue Dulong - 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



Association

c) Serious eye damage/irritation:

Slightly irritating to the rabbit's eye (one study according to OECD guideline 405 and EU method B. 5, GLP); undiluted test material applied to the right eye of three animals. Maximum mean total score of 10 of max. Not classified under GHS. Fully reversible effects within 48hrs.

d) Respiratory or skin sensitization:

Not a skin sensitizer in the mouse (One study to OECD guideline 429 and EU method B.42, Local lymph node assay, GLP). There is not information available for respiratory sensitization. However, it is predicted not to be a respiratory sensitizer.

e) Germ cell mutagenicity:

Data lacking for the substance as such. However, data on MnCl2 – a very soluble salt considered as a worse-case evaluation concludes – no effects:

- Ames test with S. typhimurium TA 98, TA 100, TA 1535, TA 1537, E coli WP2 uvrA (Met. act.: with and without) (OECD TG 471, EU method B13 and GLP); No toxicity was observed up a concentration of 5000 ug/plate.
- Mammalian cell gene mutation assay with mouse lymphoma L5178Y cells (met. act.: with and without) (OECD 476 and GLP); Negative for mouse lymphoma Cytoxicity: Yes, induced toxicity was not at the highest dose.
- In-vitro mammalian chromosome aberration test with human lymphocytes (Met. act.: with and without) (OECD guideline 473 and GLP).
 Negative for lymphocytes. Cytotoxicity: Yes

f) Carcinogenicity:

There are no specific studies on carcinogenicity for this substance – data lacking. However, a literature review on carcinogenicity for Mn and its inorganic compounds (Assem et al, 2011) concluded – no concerns, carcinogenicity in humans is not expected. This is supported by the EU SCOEL review outcome.

g) Reproductive toxicity:

An extended one generation study is not available for this substance. However, a two generation reproductive toxicity study on the male/female rats using MnCL2 via inhalation (OECD guideline 416, GLP) concluded: No treatment related effects at 20 mg/m³ air in F0, F1 and F2 generations (Jardine L, 2013 and McGough & Jardine, 2017) - Not toxic to reproduction.

NOEL: 1000mg/kg/bw - Prenatal developmental study (PND) in the rat, to GLP.

NOAEL: less than 100mg/kg/day - Prenatal developmental study (PND) in the rabbit, to GLP – effects seen, hence the classification in section 1.2.

h) Specific target organ toxicity (Single exposure):

Based on available data the classification criteria are not met.

i)Specific target organ toxicity (repeated exposure):

Based on available data on analogue substance SiMn slag (subchronic 90 days study), the classification criteria are not met. However, some epidemiological studies from some manganese-based smelters have highlighted the possibility

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



Association

of adverse health effects via repeated, long-term inhalation of dust in excess of exposure limits.

j) Aspiration hazard:

Data lacking

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties: The substance is not considered an endocrine disruptor based on available literature – Data lacking.

SECTION 12: ECOLOGICAL INFORMATION:

12.1 Toxicity: No environmental concerns

Acute (short-term) toxicity:

a) Fish: OECD guideline 203, EU method C1 and GLP. LD50 (96h) for freshwater fish: >100 mg/L; NOEC 100 mg/L

Crustacean: OECD guideline 202, EU method C2 and GLP. EC50/LC50 (48h) for freshwater invertebrates: 43 mg/L: NOEC 32mg/L

b) Algae/aquatic plants: OECD 201, EU method C3 and GLP. EC50/LC50 (72h): >90 mg/L. NOEC (72h): 10 mg/L

d)ASRI (Activated sludge respiratory inhibition): OECD guideline 209, EU method C11 and GLP. EC50: >1000 mg/L; NOEC (>3h): 1000 mg/L

e) Chronic (long-term) toxicity:

Crustacean- Daphnia reproductive test: OECD guideline 211 and GLP. EL50 6.5-20 mg/L; LOEC (8d): 10 mg/L.

12.2 Persistence and degradation	No potential fo persistence	According to the Guidance on information requirements and chemical safety assessment, Chapter R.11: PBT assessment, "the PBT and vPVB criteria of Annex XIII to the regulation do not apply to inorganic substances". Therefore, FeMn slag is not considered to require any further assessment of PBT properties.
12.3 Bioaccumulative potential	No potential fo bioaccumulation	According to the Guidance on information requirements and chemical safety assessment, Chapter R.11: PBT assessment, "the PBT and vPVB criteria of Annex XIII to the regulation do not apply to inorganic substances". Therefore, FeMn slag is not considered to require any further assessment of PBT properties.
12.4 Mobility in soil	No potential to move into ground water	Data lacking

12.5 Results of PBT and vPvB assessment:

According to the Guidance on information requirements and chemical safety assessment, Chapter R.11: PBT assessment, "the PBT and vPVB criteria of Annex XIII to the regulation do not apply to inorganic substances". Therefore, FeMn slag is not considered to require any further assessment of PBT properties.

12.6 Endocrine disrupting properties:

The substance is not considered an endocrine disruptor based on available literature – Data lacking.

12.7 Other adverse effects: None known

Revision date 06/2023 superseding date 01/2021 11 rue Dulong – 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



Association

SECTION 13: DISPOSAL CONSIDERATIONS: Include your company's information.

13.1 Waste treatment methods: Waste disposal in accordance with local and national laws covering waste and dangerous waste. Include additional company specific information.

- a) Waste treatment-relevant information: Include your company's /national law information.
- b) Physical/chemical properties that affect waste treatment option: None known.
- c) Sewage disposal-relevant information: Include your company's/national laws information.
- d) Precautions for recommended waste treatment options: Include your company's information.

SECTION 14: TRANSPORT INFORMATION:

Transport may take place according to national regulations or land transport (ADR/RID), sea transport (IMDG) or Air transport (ICAO-TI/IATA-DGR).

- **14.1 UN Number:** Include number or use not applicable if this is the case.
- 14.2 UN proper shipping name: Include name or use not applicable if this is the case.
- 14.3 Transport hazard class: Not hazardous
- **14.4 Packaging group:** Include packaging group or use not applicable if this is the case.
- 14.5 Environmental hazard: Not hazardous to the environment
- **14.6 Special precautions for users:** Always transport in close containers, avoid generating dust [Amend as appropriate]
- **14.7 Maritime transport in bulk according to IMO instruments** Complete as appropriate or used not applicable if this is the case.

SECTION 15: REGULATORY INFORMATION: [Delete as appropriate and include regulatory information specific to your country...]

15.1 Safety, health and environmental regulations/legislation for the substance:

UN GHS - UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS): According to Chapter 1.5.2 of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS) safety data sheets (SDS) are only required for substances and mixtures that meet the harmonized criteria for physical, health or environmental hazards. This substance meets these criteria; hence a safety data sheet is required.

EU CLP – Classification Labeling and Packaging Regulation: According to Article 59(2)(b) of (EC) No 1272/2008 (CLP), which amends REACH article 31(1), safety data sheets (SDS) are only required for substances and mixtures/special preparations that meet the harmonized criteria for physical, health or environmental hazards. FeMn slag meets this criterion, hence a SDS according to 453/2010/EC is needed – this template is designed to meet these criteria.

EU REACH – Registration, Evaluation and Authorisation of Chemicals: REACH article 31(7) requires relevant exposure scenarios from the Chemical Safety Report (CSR) to be annexed to the SDS. These exposure scenarios are only required for hazard-classified substances or mixtures. This substance is hazard-classified according to CLP; therefore, exposure scenarios are required. Ask your REACH/Chemical regulatory team.

15.2 Chemical Safety Report (CSR): A chemical safety assessment has been carried out for this substance.

Revision date 06/2023 superseding date 01/2021 11 rue Dulong – 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



Association

SECTION 16: OTHER INFORMATION:

a) If using this template to develop your company's SDS in the case of a revised safety data sheet, a clear indication of where changes have been made to the previous version of the safety data sheet is required in this section, unless such indication is given elsewhere in the safety data sheet, with an explanation of the changes, if appropriate. A supplier of a substance or mixture shall be able to provide an explanation of the changes upon request.

b) A key/legend to abbreviations and acronyms used in the SDS should be added in this section c) Key Literature:

- 1. Assem, F. L., et al, (2011); The Mutagenicity and carcinogenicity of inorganic manganese compounds: A synthesis of the evidence, Journal of toxicology and environment, part B
- 2. Atwal SS and Tremain SP (2009). FeMn Slag: Determination of Melting/Freezing Temperature and Oxidising Properties (Solids). Testing laboratory: Harlan Laboratories Limited, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0022. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-09-14.
- 3. Ferroatlantica (2003a). Analysis of slag SiMn. Testing laboratory: Ferroatlantica. Report no.: 2.289. Owner Company: Ferroatlantica.
- 4. Ferroatlantica (2003b). Mutagenicity Activity Test (Ames Test) on SiMn slag. Testing laboratory: Ferroatlantica. Owner Company: Ferroatlantica. Report date: 2003-02-18.
- 5. Flanders L (2009). MnCl2 (Eramet): L5178Y TK +/- Mouse Lymphoma Assay. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0037. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-11-17.
- 6. McGough, D and Jardine, L (2016) A two-generation inhalation reproductive toxicity study upon the exposure to manganese chloride; Journal of Neurotoxicology
- 7. Morris A & Durward R (2009). MnCl2 (Eramet): Chromosome Aberration Test in Human Lymphocytes In Vitro. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0036. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-11-23.
- 8. Pooles A (2009a). FeMn slag: Acute Oral Toxicity in the Rat Fixed Dose Method. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0086. Owner company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-03-09.
- 9. Pooles A (2009b). FeMn Slag: Acute Dermal Irritation in the Rabbit. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0115. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-12-23.

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



Association

- 10. Pooles A (2009c). FeMn Slag: Acute Eye Irritation in the Rabbit. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0116. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-12-22.
- 11. Pooles A (2010). SiMn slag: Local Lymph Node Assay in the Mouse. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0077. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2010-01-07.
- 12. Priestly SL & Mullee DM (2010a). FeMn slag: ACUTE TOXICITY TO RAINBOW TROUT (Oncorhynchus mykiss). Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD UK. Report no.: 2702/0160. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE.
- 13. Priestly SL & Mullee DM (2010b). FeMn slag: Acute toxicity to Daphnia Magna. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0161. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE.
- 14. Priestly SL & Mullee DM (2010c). FeMn slag: Daphnid, Ceriodaphnia Dubia survival and reproduction test. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0152. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, France.
- 15. Stannard, D 2020: Ferromanganese Slag: Study for Effects on Embryo-Foetal Development in the Rabbit by Oral Gavage Administration (study report), Testing laboratory: Covance CRS Limited, Eye, Suffolk, IP23 7PX, UK., Report no: VK72FT. Owner company; Mn REACH Administration, 56 Rue De Londres, Paris, 75008, France.,
- 16. Report date: Apr 1, 2020 SCOEL/SUM/127., (2011); EC recommendation from the scientific committee on occupational exposure limits for manganese and inorganic manganese compounds
- 17. Streicker MA (2009). In Vivo Micronucleus Assay of Manganese According to OECD 474 Guideline. Testing laboratory: Integrated Laboratory Systems, Inc. 601 Keystone Park Drive, Suite 100, Durham, NC 27713. Report no.: C171-001. Owner Company: Manganese Research Health Project (MHRP). Report date: 2009-09-04.
- 18. Thompson PW & Bowles A (2009). MnCl2 (Eramet): Reverse Mutation Assay "Ames Test" Using Salmonella Typhimurium and Escherichia Coli. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0035. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-09-24.
- 19. Tremain SP & Atwal SS (2009). FeMn Slag: Determination of Relative Density and Flammability (Solids). Testing laboratory: Harlan Laboratories Limited, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD. Report no.: 2702-0046. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-09-14.

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92



- Vryenhoef H and Mullee DM (2010). FeMn slag: Algal growth inhibition test. Testing laboratory: Harlan Laboratories Ltd. Report no.: 2702/0151. Owner Company: International Manganese Institute.
- 21. Warren N (2009a). FeMn slag: In Vitro Skin Corrosion in the SkinEthic Reconstituted Human Epidermal Model. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0100. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-12-07.
- 22. Warren N (2009b). FeMn Slag: Determination of Skin Irritation Potential Using the EPISKIN™ Reconstituted Human Epidermis Model. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0028. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-10-28.
- 23. Warren N (2009c). FeMn slag: Assessment of Ocular Irritation Potential using the SkinEthic Reconstituted Human Corneal Epithelium Model. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD. Report no.: 2702-0065. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-11-06.
- 24. Youngs N (2010). FeMn slag: ASSESSMENT OF THE INHIBITORY EFFECT ON THE RESPIRATION OF ACTIVATED SEWAGE SLUDGE. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702/0162. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE.
- 25. Streicker MA (2009). In Vivo Micronucleus Assay of Manganese According to OECD 474 Guideline. Testing laboratory: Integrated Laboratory Systems, Inc. 601 Keystone Park Drive, Suite 100, Durham, NC 27713. Report no.: C171-001. Owner Company: Manganese Research Health Project (MHRP). Report date: 2009-09-04.
- 26. Thompson PW & Bowles A (2009). MnCl2 (Eramet): Reverse Mutation Assay "Ames Test" Using Salmonella Typhimurium and Escherichia Coli. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0035. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-09-24.
- 27. Tremain SP and Atwal SS (2009). SiMn slag: Determination of melting/freezing temperature and oxidising properties (solids). Testing laboratory: Harlan Laboratories Limited, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702/0023. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, France. Report date: 2009-08-08.
- 28. Warren N (2009b). SiMn Slag: In Vitro Skin Corrosion in the SkinEthic Reconstituted Human Epidermal Model. Testing laboratory: Harlan Laboratories Ltd, Shardlow Business Park, Shardlow, Derbyshire, DE72 2GD, UK. Report no.: 2702-0101. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-12-07.
- 29. Warren N (2009c). SiMn Slag: Assessment of Ocular Irritation Potential using the SkinEthic Reconstituted Human Corneal Epithelium Model. Testing laboratory: Harlan Laboratories



Association

Ltd, Shardlow Business Park, Shardlow Derbyshire, DE72 2GD, UK. Report no.: 2702-0066. Owner Company: International Manganese Institute, 17 Rue Duphot, 75001 Paris, FRANCE. Report date: 2009-11-06.

For more information contact: reach@manganese.org

ANNEX 1: EXPOSURE SCENERIOS (Include ES)

Revision date 06/2023 superseding date 01/2021 11 rue Dulong – 75017 Paris - France

Tel: +33 (0) 1 45 63 06 34 Fax: +33 (0) 1 42 89 42 92